


APPENDIX G: ESI MAPS

ENVIRONMENTAL SENSITIVITY INDEX MAP



SHORELINE HABITATS (ESI)

- 1A EXPOSED ROCKY SHORES
- 1B EXPOSED, SOLID MAN-MADE STRUCTURES
- 2A EXPOSED WAVE-CUT PLATFORMS IN BEDROCK
- 2B SCARPS AND STEEP SLOPES IN MUDDY SEDIMENTS
- 3A FINE- TO MEDIUM-GRAINED SAND BEACHES
- 4 COARSE-GRAINED SAND BEACHES
- 5 MIXED SAND AND GRAVEL BEACHES
- 6A GRAVEL BEACHES
- 6B RIPRAP
- 7 EXPOSED TIDAL FLATS
- 8A SHELTERED ROCKY SHORES
- 8B SHELTERED, SOLID MAN-MADE STRUCTURES
- 8C SHELTERED RIPRAP
- 8F VEGETATED STEEPLY-SLOPING BLUFFS
- 9A SHELTERED TIDAL FLATS
- 9B SHELTERED VEGETATED LOWBANKS
- 10A SALT- AND BRACKISH-WATER MARSHES
- 10B FRESH-WATER MARSHES
- 10C SWAMPS
- 10D SCRUB- & SHRUB WETLANDS

SCALE 1:50000

1 KILOMETER


1 MILE

Not For Navigation
Published: October 2001

Published at Seattle, Washington
National Oceanic and Atmospheric Administration
National Ocean Service
Office of Response and Restoration
Hazardous Materials Response Division

BRIDGEPORT, CT. (1984) **CT-6**

ENVIRONMENTAL SENSITIVITY INDEX MAP




SHORELINE HABITATS (ESI)

- 1A EXPOSED ROCKY SHORES
- 1B EXPOSED, SOLID MAN-MADE STRUCTURES
- 2A EXPOSED WAVE-CUT PLATFORMS IN BEDROCK
- 2B SCARPS AND STEEP SLOPES IN MUDDY SEDIMENTS
- 3A FINE- TO MEDIUM-GRAINED SAND BEACHES
- 4 COARSE-GRAINED SAND BEACHES
- 5 MIXED SAND AND GRAVEL BEACHES
- 6A GRAVEL BEACHES
- 6B RIPRAP
- 7 EXPOSED TIDAL FLATS
- 8A SHELTERED ROCKY SHORES
- 8B SHELTERED, SOLID MAN-MADE STRUCTURES
- 8C SHELTERED RIPRAP
- 8F VEGETATED STEEPLY-SLOPING BLUFFS
- 9A SHELTERED TIDAL FLATS
- 9B SHELTERED VEGETATED LOWBANKS
- 10A SALT- AND BRACKISH-WATER MARSHES
- 10B FRESH-WATER MARSHES
- 10C SWAMPS
- 10D SCRUB- AND SHRUB WETLANDS




SCALE 1:50000




Not For Navigation
Published: October 2001

Published at Seattle, Washington
National Oceanic and Atmospheric Administration
National Ocean Service
Office of Response and Restoration
Hazardous Materials Response Division



MILFORD, CT. (1984) **CT-7**

ENVIRONMENTAL SENSITIVITY INDEX MAP



PRESENT IN LONG ISLAND SOUND,
EAST OF MORGAN POINT



PRESENT IN LONG ISLAND SOUND,
WEST OF MORGAN POINT



PRESENT IN INSHORE WATERS



PRESENT IN LONG ISLAND SOUND




SHORELINE HABITATS (ESI)

- 1A EXPOSED ROCKY SHORES
- 1B EXPOSED, SOLID MAN-MADE STRUCTURES
- 2A EXPOSED WAVE-CUT PLATFORMS IN BEDROCK
- 2B SCARPS AND STEEP SLOPES IN MUDDY SEDIMENTS
- 3A FINE- TO MEDIUM-GRAINED SAND BEACHES
- 4 COARSE-GRAINED SAND BEACHES
- 5 MIXED SAND AND GRAVEL BEACHES
- 6A GRAVEL BEACHES
- 6B RIPRAP
- 7 EXPOSED TIDAL FLATS
- 8A SHELTERED ROCKY SHORES
- 8B SHELTERED, SOLID MAN-MADE STRUCTURES
- 8C SHELTERED RIPRAP
- 8F VEGETATED STEEPLY-SLOPING BLUFFS
- 9A SHELTERED TIDAL FLATS
- 9B SHELTERED VEGETATED LOWBANKS
- 10A SALT- AND BRACKISH-WATER MARSHES
- 10B FRESH-WATER MARSHES
- 10C SWAMPS
- 10D SCRUB- AND SHRUB WETLANDS




SCALE 1:50000




Not For Navigation
Published: October 2001

Published at Seattle, Washington
National Oceanic and Atmospheric Administration
National Ocean Service
Office of Response and Restoration
Hazardous Materials Response Division



WOODMONT, CT. (1976) **CT-9**

ENVIRONMENTAL SENSITIVITY INDEX MAP




SHORELINE HABITATS (ESI)

- 1A EXPOSED ROCKY SHORES
- 1B EXPOSED, SOLID MAN-MADE STRUCTURES
- 2A EXPOSED WAVE-CUT PLATFORMS IN BEDROCK
- 2B SCARPS AND STEEP SLOPES IN MUDDY SEDIMENTS
- 3A FINE-TO MEDIUM-GRAINED SAND BEACHES
- 4 COARSE-GRAINED SAND BEACHES
- 5 MIXED SAND AND GRAVEL BEACHES
- 6A GRAVEL BEACHES
- 6B RIPRAP
- 7 EXPOSED TIDAL FLATS
- 8A SHELTERED ROCKY SHORES
- 8B SHELTERED, SOLID MAN-MADE STRUCTURES
- 8C SHELTERED RIPRAP
- 8F VEGETATED STEEPLY-SLOPING BLUFFS
- 9A SHELTERED TIDAL FLATS
- 9B SHELTERED VEGETATED LOWBANKS
- 10A SALT- AND BRACKISH-WATER MARSHES
- 10B FRESH-WATER MARSHES
- 10C SWAMPS
- 10D SCRUB- AND SHRUB WETLANDS




SCALE 1:50000




Not For Navigation
Published: October 2001

Published at Seattle, Washington
National Oceanic and Atmospheric Administration
National Ocean Service
Office of Response and Restoration
Hazardous Materials Response Division



NEW HAVEN, CT. (1984) **CT-10**

ENVIRONMENTAL SENSITIVITY INDEX MAP




PRESENT IN LONG ISLAND SOUND, WEST OF INDIAN NECK




PRESENT IN INSHORE WATERS



PRESENT IN QUINPIAC RIVER AND MARSHES




PRESENT IN LONG ISLAND SOUND




- SHORELINE HABITATS (ESI)**
- 1A EXPOSED ROCKY SHORES
 - 1B EXPOSED, SOLID MAN-MADE STRUCTURES
 - 2A EXPOSED WAVE-CUT PLATFORMS IN BEDROCK
 - 2B SCARPS AND STEEP SLOPES IN MUDDY SEDIMENTS
 - 3A FINE- TO MEDIUM-GRAINED SAND BEACHES
 - 4 COARSE-GRAINED SAND BEACHES
 - 5 MIXED SAND AND GRAVEL BEACHES
 - 6A GRAVEL BEACHES
 - 6B RIPRAP
 - 7 EXPOSED TIDAL FLATS
 - 8A SHELTERED ROCKY SHORES
 - 8B SHELTERED, SOLID MAN-MADE STRUCTURES
 - 8C SHELTERED RIPRAP
 - 8F VEGETATED STEEPLY-SLOPING BLUFFS
 - 9A SHELTERED TIDAL FLATS
 - 9B SHELTERED VEGETATED LOWBANKS
 - 10A SALT- AND BRACKISH-WATER MARSHES
 - 10B FRESH-WATER MARSHES
 - 10C SWAMPS
 - 10D SCRUB- AND SHRUB WETLANDS



SCALE 1:50000




Not For Navigation
Published: October 2001
Published at Seattle, Washington
National Oceanic and Atmospheric Administration
National Ocean Service
Office of Response and Restoration
Hazardous Materials Response Division



BRANFORD, CT. (1984) **CT-11**

ENVIRONMENTAL SENSITIVITY INDEX MAP




SHORELINE HABITATS (ESI)

- 1A EXPOSED ROCKY SHORES
- 1B EXPOSED, SOLID MAN-MADE STRUCTURES
- 2A EXPOSED WAVE-CUT PLATFORMS IN BEDROCK
- 2B SCARPS AND STEEP SLOPES IN MUDDY SEDIMENTS
- 3A FINE-TO MEDIUM-GRAINED SAND BEACHES
- 4 COARSE-GRAINED SAND BEACHES
- 5 MIXED SAND AND GRAVEL BEACHES
- 6A GRAVEL BEACHES
- 6B RIPRAP
- 7 EXPOSED TIDAL FLATS
- 8A SHELTERED ROCKY SHORES
- 8B SHELTERED, SOLID MAN-MADE STRUCTURES
- 8C SHELTERED RIPRAP
- 8F VEGETATED STEEPLY-SLOPING BLUFFS
- 9A SHELTERED TIDAL FLATS
- 9B SHELTERED VEGETATED LOWBANKS
- 10A SALT-AND BRACKISH-WATER MARSHES
- 10B FRESH-WATER MARSHES
- 10C SWAMPS
- 10D SCRUB-AND SHRUB WETLANDS




SCALE 1:50000




Not For Navigation
Published: October 2001

Published at Seattle, Washington
National Oceanic and Atmospheric Administration
National Ocean Service
Office of Response and Restoration
Hazardous Materials Response Division



GUILFORD, CT. (1984) **CT-12**

ENVIRONMENTAL SENSITIVITY INDEX MAP




PRESENT IN CLINTON HARBOR

PRESENT IN OFFSHORE WATERS


PRESENT IN INSHORE WATERS

PRESENT IN CLINTON HARBOR, LOWER HAMMONASSET RIVER, AND LOWER INDIAN RIVER


- SHORELINE HABITATS (ESI)**
- 1A EXPOSED ROCKY SHORES
 - 1B EXPOSED, SOLID MAN-MADE STRUCTURES
 - 2A EXPOSED WAVE-CUT PLATFORMS IN BEDROCK
 - 2B SCARPS AND STEEP SLOPES IN MUDDY SEDIMENTS
 - 3A FINE- TO MEDIUM-GRAINED SAND BEACHES
 - 4 COARSE-GRAINED SAND BEACHES
 - 5 MIXED SAND AND GRAVEL BEACHES
 - 6A GRAVEL BEACHES
 - 6B RIPRAP
 - 7 EXPOSED TIDAL FLATS
 - 8A SHELTERED ROCKY SHORES
 - 8B SHELTERED, SOLID MAN-MADE STRUCTURES
 - 8C SHELTERED RIPRAP
 - 8F VEGETATED STEEPLY-SLOPING BLUFFS
 - 9A SHELTERED TIDAL FLATS
 - 9B SHELTERED VEGETATED LOWBANKS
 - 10A SALT- AND BRACKISH-WATER MARSHES
 - 10B FRESH-WATER MARSHES
 - 10C SWAMPS
 - 10D SCRUB- AND SHRUB WETLANDS




Not For Navigation
 Published: October 2001
 Published at Seattle, Washington
 National Oceanic and Atmospheric Administration
 National Ocean Service
 Office of Response and Restoration
 Hazardous Materials Response Division




ENVIRONMENTAL SENSITIVITY INDEX MAP




- SHORELINE HABITATS (ESI)**
- 1A EXPOSED ROCKY SHORES
 - 1B EXPOSED, SOLID MAN-MADE STRUCTURES
 - 2A EXPOSED WAVE-CUT PLATFORMS IN BEDROCK
 - 2B SCARPS AND STEEP SLOPES IN MUDDY SEDIMENTS
 - 3A FINE- TO MEDIUM-GRAINED SAND BEACHES
 - 4 COARSE-GRAINED SAND BEACHES
 - 5 MIXED SAND AND GRAVEL BEACHES
 - 6A GRAVEL BEACHES
 - 6B RIPRAP
 - 7 EXPOSED TIDAL FLATS
 - 8A SHELTERED ROCKY SHORES
 - 8B SHELTERED, SOLID MAN-MADE STRUCTURES
 - 8C SHELTERED RIPRAP
 - 8F VEGETATED STEEPLY-SLOPING BLUFFS
 - 9A SHELTERED TIDAL FLATS
 - 9B SHELTERED VEGETATED LOWBANKS
 - 10A SALT- AND BRACKISH-WATER MARSHES
 - 10B FRESH-WATER MARSHES
 - 10C SWAMPS
 - 10D SCRUB- AND SHRUB WETLANDS



Not For Navigation
 Published: October 2001
 Published at Seattle, Washington
 National Oceanic and Atmospheric Administration
 National Ocean Service
 Office of Response and Restoration
 Hazardous Materials Response Division



ENVIRONMENTAL SENSITIVITY INDEX MAP




SHORELINE HABITATS (ESI)

- 1A EXPOSED ROCKY SHORES
- 1B EXPOSED, SOLID MAN-MADE STRUCTURES
- 2A EXPOSED WAVE-CUT PLATFORMS IN BEDROCK
- 2B SCARPS AND STEEP SLOPES IN MUDDY SEDIMENTS
- 3A FINE- TO MEDIUM-GRAINED SAND BEACHES
- 4 COARSE-GRAINED SAND BEACHES
- 5 MIXED SAND AND GRAVEL BEACHES
- 6A GRAVEL BEACHES
- 6B RIPRAP
- 7 EXPOSED TIDAL FLATS
- 8A SHELTERED ROCKY SHORES
- 8B SHELTERED, SOLID MAN-MADE STRUCTURES
- 8C SHELTERED RIPRAP
- 8F VEGETATED STEEPLY-SLOPING BLUFFS
- 9A SHELTERED TIDAL FLATS
- 9B SHELTERED VEGETATED LOWBANKS
- 10A SALT- AND BRACKISH-WATER MARSHES
- 10B FRESH-WATER MARSHES
- 10C SWAMPS
- 10D SCRUB- AND SHRUB WETLANDS

Not For Navigation
Published: October 2001

Published at Seattle, Washington
National Oceanic and Atmospheric Administration
National Ocean Service
Office of Response and Restoration
Hazardous Materials Response Division

ENVIRONMENTAL SENSITIVITY INDEX MAP



PRESENT IN INSHORE WATERS



PRESENT IN LONG ISLAND SOUND



LONG ISLAND SOUND

PRESENT IN JORDAN COVE



PRESENT IN NIANTIC RIVER



PRESENT IN NIANTIC BAY




SHORELINE HABITATS (ESI)

- 1A EXPOSED ROCKY SHORES
- 1B EXPOSED, SOLID MAN-MADE STRUCTURES
- 2A EXPOSED WAVE-CUT PLATFORMS IN BEDROCK
- 2B SCARPS AND STEEP SLOPES IN MUDDY SEDIMENTS
- 3A FINE- TO MEDIUM-GRAINED SAND BEACHES
- 4 COARSE-GRAINED SAND BEACHES
- 5 MIXED SAND AND GRAVEL BEACHES
- 6A GRAVEL BEACHES
- 6B RIPRAP
- 7 EXPOSED TIDAL FLATS
- 8A SHELTERED ROCKY SHORES
- 8B SHELTERED, SOLID MAN-MADE STRUCTURES
- 8C SHELTERED RIPRAP
- 8F VEGETATED STEEPLY-SLOPING BLUFFS
- 9A SHELTERED TIDAL FLATS
- 9B SHELTERED VEGETATED LOWBANKS
- 10A SALT- AND BRACKISH-WATER MARSHES
- 10B FRESH-WATER MARSHES
- 10C SWAMPS
- 10D SCRUB- AND SHRUB WETLANDS




SCALE 1:50000




Not For Navigation
Published: October 2001

Published at Seattle, Washington
National Oceanic and Atmospheric Administration
National Ocean Service
Office of Response and Restoration
Hazardous Materials Response Division



NIANTIC, CT. - N.Y. (1983) **CT-21**

ENVIRONMENTAL SENSITIVITY INDEX MAP



SHORELINE HABITATS (ESI)

- 1A EXPOSED ROCKY SHORES
- 1B EXPOSED, SOLID MAN-MADE STRUCTURES
- 2A EXPOSED WAVE-CUT PLATFORMS IN BEDROCK
- 2B SCARPS AND STEEP SLOPES IN MUDDY SEDIMENTS
- 3A FINE- TO MEDIUM-GRAINED SAND BEACHES
- 4 COARSE-GRAINED SAND BEACHES
- 5 MIXED SAND AND GRAVEL BEACHES
- 6A GRAVEL BEACHES
- 6B RIPRAP
- 7 EXPOSED TIDAL FLATS
- 8A SHELTERED ROCKY SHORES
- 8B SHELTERED, SOLID MAN-MADE STRUCTURES
- 8C SHELTERED RIPRAP
- 8F VEGETATED STEEPLY-SLOPING BLUFFS
- 9A SHELTERED TIDAL FLATS
- 9B SHELTERED VEGETATED LOWBANKS
- 10A SALT- AND BRACKISH-WATER MARSHES
- 10B FRESH-WATER MARSHES
- 10C SWAMPS
- 10D SCRUB- AND SHRUB WETLANDS

W N E S

SCALE 1:50000

1 5 0 1 KILOMETER


1 5 0 1 MILE

Not For Navigation
Published: October 2001

Published at Seattle, Washington
National Oceanic and Atmospheric Administration
National Ocean Service
Office of Response and Restoration
Hazardous Materials Response Division

NEW LONDON, CT. - N.Y. (1984) **CT-22**

ENVIRONMENTAL SENSITIVITY INDEX MAP




SHORELINE HABITATS (ESI)

- 1A EXPOSED ROCKY SHORES
- 1B EXPOSED, SOLID MAN-MADE STRUCTURES
- 2A EXPOSED WAVE-CUT PLATFORMS IN BEDROCK
- 2B SCARPS AND STEEP SLOPES IN MUDDY SEDIMENTS
- 3A FINE-TO MEDIUM-GRAINED SAND BEACHES
- 4 COARSE-GRAINED SAND BEACHES
- 5 MIXED SAND AND GRAVEL BEACHES
- 6A GRAVEL BEACHES
- 6B RIPRAP
- 7 EXPOSED TIDAL FLATS
- 8A SHELTERED ROCKY SHORES
- 8B SHELTERED, SOLID MAN-MADE STRUCTURES
- 8C SHELTERED RIPRAP
- 8F VEGETATED STEEPLY-SLOPING BLUFFS
- 9A SHELTERED TIDAL FLATS
- 9B SHELTERED VEGETATED LOWBANKS
- 10A SALT- AND BRACKISH-WATER MARSHES
- 10B FRESH-WATER MARSHES
- 10C SWAMPS
- 10D SCRUB- AND SHRUB WETLANDS




SCALE 1:50000



Not For Navigation
Published: October 2001


Published at Seattle, Washington
National Oceanic and Atmospheric Administration
National Ocean Service
Office of Response and Restoration
Hazardous Materials Response Division



MYSTIC, CT. - N.Y. - R.I. (1984)

CT-24

ENVIRONMENTAL SENSITIVITY INDEX MAP



PRESENT IN CONNECTICUT INSHORE WATERS



PRESENT IN LITTLE NARRAGANSETT BAY AND LOWER PAWCATUCK RIVER



PRESENT ON TIDAL FLATS



PRESENT IN QUONOHONTAUG PONDS AND MARSHES



PRESENT IN LITTLE NARRAGANSETT BAY



PRESENT IN PAWCATUCK RIVER



PRESENT IN BLOCK ISLAND SOUND



PRESENT IN MARSHES



PRESENT IN WINNAPAUG POND AND MARSHES




SHORELINE HABITATS (ESI)

- 1A EXPOSED ROCKY SHORES
- 1B EXPOSED, SOLID MAN-MADE STRUCTURES
- 2A EXPOSED WAVE-CUT PLATFORMS IN BEDROCK
- 2B SCARPS AND STEEP SLOPES IN MUDDY SEDIMENTS
- 3A FINE-TO MEDIUM-GRAINED SAND BEACHES
- 4 COARSE-GRAINED SAND BEACHES
- 5 MIXED SAND AND GRAVEL BEACHES
- 6A GRAVEL BEACHES
- 6B RIPRAP
- 7 EXPOSED TIDAL FLATS
- 8A SHELTERED ROCKY SHORES
- 8B SHELTERED, SOLID MAN-MADE STRUCTURES
- 8C SHELTERED RIPRAP
- 8F VEGETATED STEEPLY-SLOPING BLUFFS
- 9A SHELTERED TIDAL FLATS
- 9B SHELTERED VEGETATED LOWBANKS
- 10A SALT- AND BRACKISH-WATER MARSHES
- 10B FRESH-WATER MARSHES
- 10C SWAMPS
- 10D SCRUB- AND SHRUB WETLANDS




SCALE 1:50000



Not For Navigation
Published: October 2001


Published at Seattle, Washington
National Oceanic and Atmospheric Administration
National Ocean Service
Office of Response and Restoration
Hazardous Materials Response Division




WATCH HILL, R.I. - CT. (1984)

CT-25


ENVIRONMENTAL SENSITIVITY INDEX MAP




- SHORELINE HABITATS (ESI)**
- 1A EXPOSED ROCKY SHORES
 - 1B EXPOSED, SOLID MAN-MADE STRUCTURES
 - 2A EXPOSED WAVE-CUT PLATFORMS IN BEDROCK
 - 3A FINE-TO MEDIUM-GRAINED SAND BEACHES
 - 3B SCARPS AND STEEP SLOPES IN SAND
 - 4 COARSE-GRAINED SAND BEACHES
 - 5 MIXED SAND AND GRAVEL BEACHES
 - 6A GRAVEL BEACHES
 - 6B RIPRAP
 - 7 EXPOSED TIDAL FLATS
 - 8A SHELTERED ROCKY SHORES
 - 8B SHELTERED, SOLID MAN-MADE STRUCTURES
 - 8C SHELTERED RIPRAP
 - 9A SHELTERED TIDAL FLATS
 - 9B SHELTERED VEGETATED LOWBANKS
 - 10A SALT- AND BRACKISH-WATER MARSHES
 - 10B FRESHWATER MARSHES
 - 10D SCRUB-SHRUB WETLANDS



Not For Navigation
 Published: October 2001
 Published at Seattle, Washington
 National Oceanic and Atmospheric Administration
 National Ocean Service
 Office of Response and Restoration
 Hazardous Materials Response Division



ENVIRONMENTAL SENSITIVITY INDEX MAP



PRESENT IN CONNECTICUT INSHORE WATERS



PRESENT IN LITTLE NARRAGANSETT BAY AND LOWER PAWCATUCK RIVER



PRESENT ON TIDAL FLATS



PRESENT IN QUONOHONTAUG PONDS AND MARSHES



PRESENT IN LITTLE NARRAGANSETT BAY



PRESENT IN PAWCATUCK RIVER



PRESENT IN BLOCK ISLAND SOUND



PRESENT IN MARSHES



PRESENT IN WINNAPAUG POND AND MARSHES




SHORELINE HABITATS (ESI)

- 1A EXPOSED ROCKY SHORES
- 1B EXPOSED, SOLID MAN-MADE STRUCTURES
- 2A EXPOSED WAVE-CUT PLATFORMS IN BEDROCK
- 3A FINE- TO MEDIUM-GRAINED SAND BEACHES
- 3B SCARPS AND STEEP SLOPES IN SAND
- 4 COARSE-GRAINED SAND BEACHES
- 5 MIXED SAND AND GRAVEL BEACHES
- 6A GRAVEL BEACHES
- 6B RIPRAP
- 7 EXPOSED TIDAL FLATS
- 8A SHELTERED ROCKY SHORES
- 8B SHELTERED, SOLID MAN-MADE STRUCTURES
- 8C SHELTERED RIPRAP
- 9A SHELTERED TIDAL FLATS
- 9B SHELTERED VEGETATED LOWBANKS
- 10A SALT- AND BRACKISH-WATER MARSHES
- 10B FRESH-WATER MARSHES
- 10D SCRUB-SHRUB WETLANDS




SCALE 1:50000




Not For Navigation
Published: October 2001

Published at Seattle, Washington
National Oceanic and Atmospheric Administration
National Ocean Service
Office of Response and Restoration
Hazardous Materials Response Division



WATCH HILL, R.I. - CT. (1984) **RI-2**

ENVIRONMENTAL SENSITIVITY INDEX MAP



SHORELINE HABITATS (ESI)

- 1A EXPOSED ROCKY SHORES
- 1B EXPOSED, SOLID MAN-MADE STRUCTURES
- 2A EXPOSED WAVE-CUT PLATFORMS IN BEDROCK
- 3A FINE-TO MEDIUM-GRAINED SAND BEACHES
- 3B SCARPS AND STEEP SLOPES IN SAND
- 4 COARSE-GRAINED SAND BEACHES
- 5 MIXED SAND AND GRAVEL BEACHES
- 6A GRAVEL BEACHES
- 6B RIPRAP
- 7 EXPOSED TIDAL FLATS
- 8A SHELTERED ROCKY SHORES
- 8B SHELTERED, SOLID MAN-MADE STRUCTURES
- 8C SHELTERED RIPRAP
- 9A SHELTERED TIDAL FLATS
- 9B SHELTERED VEGETATED LOWBANKS
- 10A SALT- AND BRACKISH-WATER MARSHES
- 10B FRESH-WATER MARSHES
- 10D SCRUB-SHRUB WETLANDS

SCALE 1:50000

1 KILOMETER

1 MILE


Not For Navigation
 Published: October 2001

Published at Seattle, Washington
 National Oceanic and Atmospheric Administration
 National Ocean Service
 Office of Response and Restoration
 Hazardous Materials Response Division

CAROLINA, R.I. (1970), QUONOCHONTAUG, R.I. (1975)

RI-3

ENVIRONMENTAL SENSITIVITY INDEX MAP



PRESENT ON TIDAL FLATS



PRESENT IN GREAT SALT POND




PRESENT IN MARSHES




PRESENT IN AREA



- SHORELINE HABITATS (ESI)**
- 1A EXPOSED ROCKY SHORES
 - 1B EXPOSED, SOLID MAN-MADE STRUCTURES
 - 2A EXPOSED WAVE-CUT PLATFORMS IN BEDROCK
 - 3A FINE- TO MEDIUM-GRAINED SAND BEACHES
 - 3B SCARPS AND STEEP SLOPES IN SAND
 - 4 COARSE-GRAINED SAND BEACHES
 - 5 MIXED SAND AND GRAVEL BEACHES
 - 6A GRAVEL BEACHES
 - 6B RIPRAP
 - 7 EXPOSED TIDAL FLATS
 - 8A SHELTERED ROCKY SHORES
 - 8B SHELTERED, SOLID MAN-MADE STRUCTURES
 - 8C SHELTERED RIPRAP
 - 9A SHELTERED TIDAL FLATS
 - 9B SHELTERED VEGETATED LOWBANKS
 - 10A SALT- AND BRACKISH-WATER MARSHES
 - 10B FRESHWATER MARSHES
 - 10D SCRUB- AND SHRUB WETLANDS




Not For Navigation
 Published: October 2001
 Published at Seattle, Washington
 National Oceanic and Atmospheric Administration
 National Ocean Service
 Office of Response and Restoration
 Hazardous Materials Response Division




BLOCK ISLAND, R.I. (1975) **RI-4**


ENVIRONMENTAL SENSITIVITY INDEX MAP



- SHORELINE HABITATS (ESI)**
- 1A EXPOSED ROCKY SHORES
 - 1B EXPOSED, SOLID MAN-MADE STRUCTURES
 - 2A EXPOSED WAVE-CUT PLATFORMS IN BEDROCK
 - 3A FINE- TO MEDIUM-GRAINED SAND BEACHES
 - 3B SCARPS AND STEEP SLOPES IN SAND
 - 4 COARSE-GRAINED SAND BEACHES
 - 5 MIXED SAND AND GRAVEL BEACHES
 - 6A GRAVEL BEACHES
 - 6B RIPRAP
 - 7 EXPOSED TIDAL FLATS
 - 8A SHELTERED ROCKY SHORES
 - 8B SHELTERED, SOLID MAN-MADE STRUCTURES
 - 8C SHELTERED RIPRAP
 - 9A SHELTERED TIDAL FLATS
 - 9B SHELTERED VEGETATED LOWBANKS
 - 10A SALT- AND BRACKISH-WATER MARSHES
 - 10B FRESH-WATER MARSHES
 - 10D SCRUB-SHRUB WETLANDS




Not For Navigation
 Published: October 2001
 Published at Seattle, Washington
 National Oceanic and Atmospheric Administration
 National Ocean Service
 Office of Response and Restoration
 Hazardous Materials Response Division



NARRAGANSETT PIER, R.I. (1975) **RI-6**

ENVIRONMENTAL SENSITIVITY INDEX MAP



SHORELINE HABITATS (ESI)

- 1A EXPOSED ROCKY SHORES
- 1B EXPOSED, SOLID MAN-MADE STRUCTURES
- 2A EXPOSED WAVE-CUT PLATFORMS IN BEDROCK
- 3A FINE- TO MEDIUM-GRAINED SAND BEACHES
- 3B SCARPS AND STEEP SLOPES IN SAND
- 4 COARSE-GRAINED SAND BEACHES
- 5 MIXED SAND AND GRAVEL BEACHES
- 6A GRAVEL BEACHES
- 6B RIPRAP
- 7 EXPOSED TIDAL FLATS
- 8A SHELTERED ROCKY SHORES
- 8B SHELTERED, SOLID MAN-MADE STRUCTURES
- 8C SHELTERED RIPRAP
- 9A SHELTERED TIDAL FLATS
- 9B SHELTERED VEGETATED LOWBANKS
- 10A SALT- AND BRACKISH-WATER MARSHES
- 10B FRESH-WATER MARSHES
- 10D SCRUB-SHRUB WETLANDS

N
W E
S

SCALE 1:50000

1 5 0 1 KILOMETER


1 5 0 1 MILE

Not For Navigation
Published: October 2001

Published at Seattle, Washington
National Oceanic and Atmospheric Administration
National Ocean Service
Office of Response and Restoration
Hazardous Materials Response Division

NEWPORT, R.I. (1975) **RI-7**

ENVIRONMENTAL SENSITIVITY INDEX MAP



PRESENT ON TIDAL FLATS



PRESENT IN MARSHES




PRESENT IN SAKONNET RIVER



PRESENT IN ATLANTIC OCEAN



- SHORELINE HABITATS (ESI)**
- 1A EXPOSED ROCKY SHORES
 - 1B EXPOSED, SOLID MAN-MADE STRUCTURES
 - 2A EXPOSED WAVE-CUT PLATFORMS IN BEDROCK
 - 3A FINE- TO MEDIUM-GRAINED SAND BEACHES
 - 3B SCARPS AND STEEP SLOPES IN SAND
 - 4 COARSE-GRAINED SAND BEACHES
 - 5 MIXED SAND AND GRAVEL BEACHES
 - 6A GRAVEL BEACHES
 - 6B RIPRAP
 - 7 EXPOSED TIDAL FLATS
 - 8A SHELTERED ROCKY SHORES
 - 8B SHELTERED, SOLID MAN-MADE STRUCTURES
 - 8C SHELTERED RIPRAP
 - 9A SHELTERED TIDAL FLATS
 - 9B SHELTERED VEGETATED LOWBANKS
 - 10A SALT- AND BRACKISH-WATER MARSHES
 - 10B FRESHWATER MARSHES
 - 10D SCRUB-SHRUB WETLANDS



Not For Navigation
 Published: October 2001
 Published at Seattle, Washington
 National Oceanic and Atmospheric Administration
 National Ocean Service
 Office of Response and Restoration
 Hazardous Materials Response Division

